

Barn Doors Training

Definition: Barn Doors/Open Wheel Sliders

Appearance:

Several Options, Styles, to Consider.

- See Attached Photos
- When considering the style, some options allow both panels to operate and others have one panel operable and the other stationary.

Two basic methods of manufacturing the glass:

- Completely Custom
 - Laser template and consider every 1/16" vertically on the walls and horizontally on the curb.
- Prefabricated
 - Pre-made for basic openings. Big box stores typically sell them with deep channel on the walls for adjustability. See attached photo
 - In comparison, our offerings will not have channel on the walls.

Examples:

Titan Phantom (Glass Header)

- Completely Custom: Laser templated to have glass fabricated to the contour of the walls.
- Both Panels Operable
- Clear Polycarbonate applied to edge of glass on both panels, in the event the glass bumps into the walls.
- Comes in Polish Chrome, Brushed Nickel, Oil rubbed Bronze, Matte Black and Satin Brass

Titan Duo & FHC Napa Series

- Completely Custom: Laser templated to have glass fabricated to the contour of the walls.
- Both Panels Operable
- Clear Polycarbonate applied to edge of glass on both panels, in the event the glass bumps into the walls.
- Comes in Polish Chrome, Brushed Nickel, Oil rubbed Bronze, Matte Black and Satin Brass

Titan & FHC Clearwater Series

- Completely Custom: Laser templated to have glass fabricated to the contour of the walls.
- One operable door, the other is a stationary panel.
- Clear Polycarbonate applied to edge of operable panels, in the event the glass bumps into the walls.
- Comes in Polish Chrome, Brushed Nickel, Oil rubbed Bronze, Matte Black and Satin Brass


Titan Express:

- Prefabricated
- No Vertical Chanel: This means that, depending on the plumb of the walls, there is likely to be gaps.
- We can mitigate a bit using vertical bulb polycarbonates.

Dreamline Example:

- *Review on DreamLine's Website:*
 - It is a beautiful unit, but very delicate. I strongly suggest having a professional install it. If you chip the glass in ANY way, which happened to us (we had a sliver come off the edge when placing it in the wall frame), the manufacture told us not to use it. It is subject to shattering without warning. You will need at least 2 people, if not 3 for installation. Follow the instructions down to the letter. It can get confusing.
- Notice vertical channels along walls and horizontally along the bottom.
 - If the unit is to be pre-fabricated, there needs to be adjustability for outages in the surface. Conversely, Alluring Glass has the glass fabricated to the contour of the surface, eliminating the need for the channel.

Titan Phantom: Glass Header



Titan Duo & FHC Napa Series



Titan & FHC Clearwater Series



Titan Express



Dreamline Example



DREAMLINE
dream in style

Custom Adjustment

Have a Challenging Installation?

- Turn imperfect walls into a perfect shower space
- Stainless Steel Top guide bar can be trimmed up to 4" for width adjustment

